

# PALETOVÉ BOXY - TYP KitBin®



**KitBin solid**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1200	
Width (mm)	916	1000	
Height (mm)	565	715	
Volume (Liter)	617		
Tare Weight (kg)	39		
Max Load (kg)	600		
Stack Load (kg)	3000		
Quantity in container (Units)	20ft	40ft	40hc
	80	176	216

[Data Sheet](#)

[Application](#)



**KitBin solid with door**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1200	
Width (mm)	916	1000	
Height (mm)	565	715	
Volume (Liter)	617		
Tare Weight (kg)	40		
Max Load (kg)	600		
Stack Load (kg)	3000		
Quantity in container (Units)	20ft	40ft	40hc
	80	176	216

[Data Sheet](#)

[Application](#)



**KitBin solid with lid**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1210	
Width (mm)	916	1010	
Height (mm)	565	719	
Volume (Liter)	617		
Tare Weight (kg)	44		
Max Load (kg)	600		
Stack Load (kg)	3000		
Quantity in container (Units)	20ft	40ft	40hc
	70	185	

[Data Sheet](#)

[Application](#)



**KitBin double height perforated**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1200	
Width (mm)	916	1000	
Height (mm)	1130	1280	
Volume (Liter)	1234		
Tare Weight (kg)	59		
Max Load (kg)	600		
Stack Load (kg)	1800		
Quantity in container (Units)	20ft	40ft	40hc
	45	105	149

[Data Sheet](#)

[Application](#)



**KitBin perforated**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1200	
Width (mm)	916	1000	
Height (mm)	565	715	
Volume (Liter)	617		
Tare Weight (kg)	39		
Max Load (kg)	600		
Stack Load (kg)	3000		
Quantity in container (Units)	20ft	40ft	40hc
	80	176	216



**KitBin double height solid**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1200	
Width (mm)	916	1000	
Height (mm)	1130	1280	
Volume (Liter)	1234		
Tare Weight (kg)	59		
Max Load (kg)	600		
Stack Load (kg)	1800		
Quantity in container (Units)	20ft	40ft	40hc
	45	105	149



**KitBin double height perforated with lid**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1210	
Width (mm)	916	1010	
Height (mm)	1130	1284	
Volume (Liter)	1234		
Tare Weight (kg)	65		
Max Load (kg)	600		
Stack Load (kg)	1800		
Quantity in container (Units)	20ft	40ft	40hc
	45	105	149



**KitBin solid triple height with lid**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1210	
Width (mm)	916	1010	
Height (mm)	1695	1845	
Volume (Liter)	1851		
Tare Weight (kg)	84		
Max Load (kg)	600		
Stack Load (kg)	1200		
Quantity in container (Units)	20ft	40ft	40hc
	40	90	100

# PALETOVÉ BOXY - TYP KitBin®



**KitBin triple height perforated**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1200	
Width (mm)	916	1000	
Height (mm)	1695	1845	
Volume (Liter)	1851		
Tare Weight (kg)	79		
Max Load (kg)	600		
Stack Load (kg)	1200		
Quantity in container (Units)	20ft	40ft	40hc
	45	95	105

[Data Sheet](#)

[Application](#)



**KitBin single height perforated with lid**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1210	
Width (mm)	916	1010	
Height (mm)	565	719	
Volume (Liter)	617		
Tare Weight (kg)	44		
Max Load (kg)	600		
Stack Load (kg)	3000		
Quantity in container (Units)	20ft	40ft	40hc
	70		185

[Data Sheet](#)

[Application](#)



**KitBin double height solid with 2 doors**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1200	
Width (mm)	916	1000	
Height (mm)	1130	1280	
Volume (Liter)	1234		
Tare Weight (kg)	65		
Max Load (kg)	600		
Stack Load (kg)	1800		
Quantity in container (Units)	20ft	40ft	40hc
	45	105	149

[Data Sheet](#)

[Application](#)



**KitBin triple height perforated with lid**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1210	
Width (mm)	916	1010	
Height (mm)	1695	1849	
Volume (Liter)	1851		
Tare Weight (kg)	84		
Max Load (kg)	600		
Stack Load (kg)	1200		
Quantity in container (Units)	20ft	40ft	40hc
	40	90	100

[Data Sheet](#)

[Application](#)



**KitBin double height solid with lid**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1210	
Width (mm)	916	1010	
Height (mm)	1130	1284	
Volume (Liter)	1234		
Tare Weight (kg)	64		
Max Load (kg)	600		
Stack Load (kg)	1800		
Quantity in container (Units)	20ft	40ft	40hc
	45	105	149



**EURO KitBin single height solid**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1200	
Width (mm)	716	800	
Height (mm)	565	715	
Volume (Liter)	490		
Tare Weight (kg)	33.5		
Max Load (kg)	400		
Stack Load (kg)	2000		
Quantity in container (Units)	20ft	40ft	40hc
	72		200



**KitBin triple height solid**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1200	
Width (mm)	916	1000	
Height (mm)	1695	1845	
Volume (Liter)	1851		
Tare Weight (kg)	79		
Max Load (kg)	600		
Stack Load (kg)	1200		
Quantity in container (Units)	20ft	40ft	40hc
	45	95	105



**KitBin triple height solid with 3 doors**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1200	
Width (mm)	916	1000	
Height (mm)	1695	1845	
Volume (Liter)	1851		
Tare Weight (kg)	83		
Max Load (kg)	600		
Stack Load (kg)	1200		
Quantity in container (Units)	20ft	40ft	40hc
	45	95	105

# PALETOVÉ BOXY - TYP KitBin®



EURO KitBin double height perforated

Technical Data	Dimensions	
	Inside	Outside
Length (mm)	1116	1200
Width (mm)	716	800
Height (mm)	1130	1280
Volume (Liter)	980	
Tare Weight (kg)	51.5	
Max Load (kg)	400	
Stack Load (kg)	1200	
Quantity in container (Units)	20ft	40hc
	43	152

Data Sheet

Application



EURO KitBin single height perforated with lid

Technical Data	Dimensions	
	Inside	Outside
Length (mm)	1116	1210
Width (mm)	716	810
Height (mm)	565	719
Volume (Liter)	490	
Tare Weight (kg)	37.5	
Max Load (kg)	400	
Stack Load (kg)	2000	
Quantity in container (Units)	20ft	40hc
	56	160

Data Sheet

Application



EURO KitBin single height solid with door

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1200	
Width (mm)	716	800	
Height (mm)	565	715	
Volume (Liter)	490		
Tare Weight (kg)	34.5		
Max Load (kg)	400		
Stack Load (kg)	2000		
Quantity in container (Units)	20ft	40ft	40hc
	72		200

Data Sheet

Application



EURO KitBin single height perforated

Technical Data	Dimensions	
	Inside	Outside
Length (mm)	1116	1200
Width (mm)	716	800
Height (mm)	565	715
Volume (Liter)	490	
Tare Weight (kg)	33.5	
Max Load (kg)	400	
Stack Load (kg)	2000	
Quantity in container (Units)	20ft	40hc
	72	200

Data Sheet

Application



EURO KitBin double height solid with lid

Technical Data	Dimensions	
	Inside	Outside
Length (mm)	1116	1210
Width (mm)	716	810
Height (mm)	1130	1284
Volume (Liter)	980	
Tare Weight (kg)	55.5	
Max Load (kg)	400	
Stack Load (kg)	1200	
Quantity in container (Units)	20ft	40hc
	43	152



EURO KitBin double height perforated with lid

Technical Data	Dimensions	
	Inside	Outside
Length (mm)	1116	1210
Width (mm)	716	810
Height (mm)	1130	1284
Volume (Liter)	980	
Tare Weight (kg)	55.5	
Max Load (kg)	400	
Stack Load (kg)	1200	
Quantity in container (Units)	20ft	40hc
	43	152



EURO KitBin double height solid

Technical Data	Dimensions	
	Inside	Outside
Length (mm)	1116	1200
Width (mm)	716	800
Height (mm)	1130	1280
Volume (Liter)	980	
Tare Weight (kg)	51.5	
Max Load (kg)	400	
Stack Load (kg)	1200	
Quantity in container (Units)	20ft	40hc
	43	152



EURO KitBin single height solid with lid

Technical Data	Dimensions	
	Inside	Outside
Length (mm)	1116	1210
Width (mm)	716	810
Height (mm)	565	719
Volume (Liter)	490	
Tare Weight (kg)	37.5	
Max Load (kg)	400	
Stack Load (kg)	2000	
Quantity in container (Units)	20ft	40hc
	56	160

# PALETOVÉ BOXY - TYP KitBin®



**EURO KitBin double height solid with 2 doors**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1200	
Width (mm)	716	800	
Height (mm)	1130	1280	
Volume (Liter)	980		
Tare Weight (kg)	53.5		
Max Load (kg)	400		
Stack Load (kg)	1200		
Quantity in container (Units)	20ft	40ft	40hc
	43		152

[Data Sheet](#)

[Application](#)



**EURO KitBin triple height solid**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1200	
Width (mm)	716	800	
Height (mm)	1695	1845	
Volume (Liter)	1470		
Tare Weight (kg)	69.5		
Max Load (kg)	400		
Stack Load (kg)	800		
Quantity in container (Units)	20ft	40ft	40hc
	43		100

[Data Sheet](#)

[Application](#)



**EURO KitBin triple height perforated with lid**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1210	
Width (mm)	716	810	
Height (mm)	1695	1849	
Volume (Liter)	1470		
Tare Weight (kg)	73.5		
Max Load (kg)	400		
Stack Load (kg)	800		
Quantity in container (Units)	20ft	40ft	40hc
	36		80

[Data Sheet](#)

[Application](#)



**EURO KitBin triple height solid with 3 doors**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1200	
Width (mm)	716	800	
Height (mm)	1695	1845	
Volume (Liter)	1470		
Tare Weight (kg)	72.5		
Max Load (kg)	400		
Stack Load (kg)	800		
Quantity in container (Units)	20ft	40ft	40hc
	43		100

[Data Sheet](#)

[Application](#)



**EURO KitBin triple height perforated**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1200	
Width (mm)	716	800	
Height (mm)	1695	1845	
Volume (Liter)	1470		
Tare Weight (kg)	69.5		
Max Load (kg)	400		
Stack Load (kg)	800		
Quantity in container (Units)	20ft	40ft	40hc
	43		100



**EURO KitBin triple height solid with lid**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1210	
Width (mm)	716	810	
Height (mm)	1695	1849	
Volume (Liter)	1470		
Tare Weight (kg)	73.5		
Max Load (kg)	400		
Stack Load (kg)	800		
Quantity in container (Units)	20ft	40ft	40hc
	36		80



**Mini KitBin solid**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1116	1200	
Width (mm)	916	1000	
Height (mm)	355	505	
Volume (Liter)	380		
Tare Weight (kg)	29.5		
Max Load (kg)	800		
Stack Load (kg)	3000		
Quantity in container (Units)	20ft	40ft	40hc
	108	216	240



**MEGA KitBin solid**

Technical Data	Dimensions		
	Inside	Outside	
Length (mm)	1516	1800	
Width (mm)	1116	1200	
Height (mm)	565	715	
Volume (Liter)	1010		
Tare Weight (kg)	57		
Max Load (kg)	800		
Stack Load (kg)	2500		
Quantity in container (Units)	20ft	40ft	40hc
	60		121